



# Alumaluxe

## decorative screens

Custom made Alumaluxe panels and pedestrian gates have never been easier! Simply tell us what size you need and which design you love, then we will custom make your screens utilizing our in house CNC router.

### EASY 4 STEP ORDERING

1. Specify exact width and height of custom Alumaluxe deco screen panel  
Widths from 100mm to 1250mm\*  
Heights from 100mm to 2400mm\*
2. Choose between aluminium composite or solid aluminium panels. Select panel material and finish.
3. Choose pattern from our huge range of designs
4. Choose fitting option – Face mount with screws, face mount with mounting pins or void fitting

NOTE: Custom pedestrian gates also follow similar ordering process. See page 75 for more info



## ALUPALUXE MATERIAL SELECTION



MATERIAL —

### Aluminium composite panels

Durable aluminium surface both sides bonded to a strong, rigid polyethylene core  
Bonding process adds strength and rigidity while also reducing weight of complete panel  
Panels will not rust or rot – no painting required!



COLOUR & SIZE —

#### 4mm thick panels

Max size: 2400mm x 1250mm

Same colour on front and back

NATURAL  
WHITE

BRUSHED  
SILVER

CHARCOAL

COLOUR & SIZE —

#### 3mm thick panels

Max size: 2400mm x 1220mm

Colour on front; gloss white on back\*

\*Black gloss panels have satin black on back of panel



White gloss or satin



Matt silver



Black gloss or satin



Red gloss



Yellow gloss





Green gloss

### Alupaluxe panel orientation


All of our Alupaluxe panel designs can be customised to suit landscape orientations as well as the portrait orientated designs.

\*Excludes "Reeds" design (available in horizontal only)



### Alupaluxe panel scaling

Some slight changes may need to be made to the design to fit your sizes. The content of the design remains in proportion and is scaled to suit.



Custom made  
with our in-house  
CNC router



Australia wide  
delivery




Quick and  
easy ordering  
& install



## ALUMALUXE PANEL DESIGNS

With over 30 designs available, there's something to suit every application.  
All designs are subject to slight changes depending on your specified size requirements.



= VISIBILITY PERCENTAGE

Percentages shown are calculated based on a 1000mm wide x 1850mm high panel







Terrain




② 23% Geo 1




② 22% Geo 2



② 31% Geo 3




② 26% Geo 4



② 25%

Hypnosis




② 37%

Vertical




② 24%

Diagonal




② 24%

Blocks




② 40%

Sleet




② 19%

Clockwork




② 37%

Natural




② 12%

Regal




② 25%

Pave




② 45%

Tetris




② 25%

Reeds



② 12%

Retro



② 16%

Scale



② 12%

Nirvana




② 23%

\*Horizontal orientation only




## Fixing options

Choose between face mount with screws, mounting pins or void fitting with folded edges —



### Face mount with screws


Simply screw through face of screen into wall or post. We recommend fixing at approximately 400mm spacings.




\*Screws not supplied

### Face mount with mounting pins

Pre-drill holes through screen and into wall or post, then affix using mounting pins. We recommend fixing at approximately 400mm spacings (Satin anodised mounting pins available – sold separately).




\*Mounting pins sold separately




**Alumluxe standoff mounts**  
Order Code: ADS-SM-2PK

Provides a floating shadow effect

- > 2 pack of standoff mounts
- > Anodised silver matt finish aluminium
- > Includes fixing screws and wall plugs






### Void fitting with folded edges

Pre-drill holes through folds and into wall or post, then affix using screws. We recommend fixing at approximately 400mm spacings (Screws not supplied)

Folds may be specified for top and bottom, left and right or all four sides of panel



\*Screws not supplied



## Custom made pedestrian gates

Custom made Alumaluxe gates are supplied fully assembled! Gates can be ordered for a standalone installation or to complement other Alumaluxe panels —

### EASY 4 STEP ORDERING

1.

Specify exact width and height of custom Alumaluxe deco screen panel

Widths from 600mm to 1260mm  
Heights from 600mm to 2100mm

2.

Choose pattern from our huge range of designs

See pages 68-69 for pattern designs on offer

3.

Choose colour of custom Alumaluxe deco screen panel

See page 67 for colour options available

4.

Choose outer gate frame colour: black / monument, woodland grey / silver / surfmist / white

Outer gate frame colours —



GATE HARDWARE —

### Latching options

If access from both sides of gate is required, we recommend using the D&D Lokk Latch deluxe.

If access from one side is required, use a toggle latch or D latch

### Hinging options

We recommend using the D&D Tru Close or the D&D Kwik Fit aluminium hinges

GATE HARDWARE —

### Hinge & latch options



**LOKK latch deluxe**  
Order Code: LL-DL


**15-40mm**  
gap spacing

- › Lockable from both sides of gate
  - › Rekeyable, 6-pin security lock
  - › Fits up to 150mm deep posts
  - › Black polymer
- Supplier code: LLDABS2-L



**T latch**  
Order Code: T-L

**10-45mm**  
gap spacing




- › Padlockable
  - › Lockable from one side only
  - \*Padlock not included
- Supplier code: TL-01



**TRU close hinges**  
SOLD AS PAIR  
Order Code: TC-H-AT-B


**19mm**  
gap spacing

- › D&D patented tension adjustment — adjust tension from both ends of hinge
  - › Moulded polymer and stainless steel
  - › Improved performance — rated for gates up to 30kg
  - › Won't rust, bind, sag or stain
  - › Suits left or right swinging gates
- Supplier code: TCAIS3BT



**Aluminium KWIKfit hinge**  
SOLD AS PAIRS  
Order Code: KF-AH-AT

**19mm/18.5mm**  
gap spacing



- › D&D patented tension adjustment — adjust tension from both ends of hinge
- › Adjustable fixing plate allows mounting to wall or post
- › Self closing hinge for gates up to 20kg
- › Internal stainless steel spring
- › Suits left or right swinging gates